





B14115 Braille Lightweight Advanced AGM Racing Battery

At only 11.5 lbs, the B14115 Braille Lightweight Advanced AGM Racing Batterya high-performance upgrade from a traditional lead acid battery. Offering weight reduction, more power output and lasting up to 2 times longer than traditional lead acid batteries!

BENEFITS:

- Superior starting capabilities with high cranking amp output per kg
- · Fast and efficient recharge, up to 2 times faster than traditional lead acid batteries
- Can be used in "Total Loss" (no alternator) applications
- Engineered for high shock and vibration applications
- Up to 2/3 weight reduction for equivalent cranking performance



PRODUCT INFORMATION

Physical Specs

Battery Chemistry РΒ Length (in) 5.8" Width (in) 3.4" Height (in) 5.8" Weight (lbs)

Steel terminal block Terminal Type

with M6 bolt

Polarity

Technical Specs

5 Second Pulse Cranking Amps	904	Charging	0C to 50C
10 Second Pulse Discharge	81	Temperature	
Current (A)	01	Discharge Temperature Range	-40C to +60C
Voltage	12		
Capacity (Ah)	15.0	Storage Temperature	-40C to +60C
Capacity (Wh)	180		

Charging

14.4V - 14.6V Recharge Voltage Maintenance Charge Voltage 13.8V











Rev 05-23









